

# NANTUCKET<sup>®</sup> 2.0

S I D I N G



Nantucket 2.0 Double 5" Clapboard in Classic Gray

*performance* **DRIVEN**

**VYTEC<sup>®</sup>**

# NANTUCKET<sup>®</sup> 2.0

## SIDING

Carolina Blue

Rustic Clay

Castle Stone

Grasslands

Tundra Moss

Twilight Gray

Classic Gray

Natural Sand

Sierra Brown

Sand Drift

Maplewood

Buttercream

White



## TIMELESS DESIGN

### Both Beautiful and Affordable

Vytec Nantucket<sup>®</sup> 2.0 siding has a clean, crisp style that reflects a time when life moved at a quieter pace. The panels have a natural woodgrain like freshly painted wood and requires virtually no maintenance to stay looking their best.

**Nantucket has been reinvented as Nantucket 2.0** to expand its offering with new profiles and improved tooling to continue to offer you a great performing panel at a price you can afford.

### Tips for choosing siding colors

- Light colors to make your home look larger.
- Darker colors for a more dramatic exterior look.
- Lighter wall color with a darker accent color to call attention to details like dormers.
- Choose a siding that complements your roof color.

Colors throughout this brochure are simulated.  
Consult product samples before final selection.


# THE ANATOMY OF NANTUCKET 2.0 SIDING

Performance-enhancing Features and a Lifetime of Great Looks


**Posilok® locking system** holds panels securely, while allowing expansion and contraction in changing temperatures.



**1/2" Panel projection** creates enhanced shadow lines with the look of real wood.




**.040" thickness** offers lasting toughness, while precise dimensional consistency ensures a snug fit and tight laps.



**Low-gloss natural woodgrain**, like freshly painted wood.




Vytec Nantucket® 2.0 siding panels come in four profiles:




**Double 4" Traditional Clapboard**

Exposure: 8"  
Length: 12' 6"




**Double 4-1/2" Dutch Lap**

Exposure: 9"  
Length: 12' 1"



**Double 5" Traditional Clapboard**

Exposure: 10"  
Length: 12'



**Double 5" Dutch Lap**

Exposure: 10"  
Length: 12'

## Vytec Nantucket® 2.0 Siding Specifications:

### Certificate of Conformance

This certificate of conformance is provided to assist the architect or specifier of Nantucket® 2.0 siding. This siding is intended solely for the sidewall applications for new construction exteriors, remodeling projects or as replacement siding for existing structures, including residential and light commercial applications.

### Product Specifications

All Nantucket® 2.0 products meet or exceed the Standard Specification for Rigid PVC Siding (ASTM D-3679) and its referenced documents. An independent laboratory through unannounced inspections of all manufacturing facilities, verifies the conformance to this specification. ASTM D-3679 is the specification used by building code authorities. Where not defined in ASTM D-3679, our products also meet the stringent quality control standards of Vytec.

### Product Test Data

Max. Sustained Windload Test Pressure: up to 38.3 PSF  
Standard Windload Design Pressure Rating: up to 44.4 PSF  
Basic wind speed: 136 MPH\*

### Fire Resistance

Vytec vinyl siding, soffit and accessories have a Class A flame-spread classification per 2021 International Building Code, when tested in accordance with ASTM E-84.

### Relevant Codes and Regulations Compliance

Conforms to ASTM Specification D-3679  
2021 International Building Code (IBC)  
ICC Evaluation Service Report ESR-1066

**Color:** Uniformity is spectrophotometrically controlled

**Gloss:** Uniformity is controlled with 75° glossmeter

**Lock:** Optically measured and controlled

\*The MPH wind speed reported above is calculated using the VSI Windspeed Calculation Guidelines. It is an estimate of wind speed resistance given one uniform set of assumptions. Please note that vinyl siding is a decorative covering that is not intended to provide structural reinforcement to a wall. The wind resistance of a wall system may be less than the maximum wind speed rating for a siding product and will not be increased as a result of vinyl siding.



Nantucket 2.0 Double 4" Clapboard in White

## COMPLETE THE PICTURE WITH FINISHING ELEMENTS™

Accessories like corner posts and soffit are essential to any vinyl siding installation. But adding elements like Shingles, Beaded Porch Panel and Board & Batten can take your home's exterior design up a notch.



**Shingles** are panels with the look of hand-cut cedar



**Beaded Porch Panel** provides an authentic look to porch soffit



**Board & Batten** offers a timeless look for traditional and contemporary homes



**Accessories** complement any vinyl siding installation



## THE PROS TRUST VYTEC

When it comes to the products they sell, your contractors make their choices as carefully as you would. That's why they choose vinyl siding from Vytec. We stand behind the products we make. Continued advancements make us a manufacturer you can rely on for innovative, high performing products. It's this dedication to our craft that makes Vytec a partner your contractor can trust – and one you can trust, too.